

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	graph\$5 neear3 user adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:19
L2	134856	graph\$5 near3 user adj interface	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:19
L3	10186531	(gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor \$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board))	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:37
L4	2	(gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor \$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and (key near3 indicator or performance near3 indicator) near3 system and (document or report or record or file) and (key near3 indicator or performance near3 indicator) and (list\$3) and retriev\$3 and quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:41

		or microprocessor) and (@ad<"20040329")				
L5	2	(gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor \$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and gauge and status adj bar and stop adj light	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:43
L6	2	(gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor \$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and gauge and status adj bar and stop adj light and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:43
L7	1	(gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor \$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and gauge and status adj bar and stop adj light and (@ad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 14:43

L10	13488	(key near3 indicator or performance near3 indicator) and (gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor\$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board))	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 16:41
L11	435	(key near3 indicator or performance near3 indicator) and (gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor\$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and (goal or target) and (status or rank or rating or position or standing)and trend \$4 and (weight or importance) and (@ad< "20040329")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 16:42
L12	435	(key near3 indicator or performance near3 indicator) and (gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor\$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 16:50

		or touch) adj (pad or board)) and (goal or target) and (status or rank or rating or position or standing)and trend \$4 and (weight or importance) and (access, browse, input, in adj put, manipulate, navigate, retriev \$3 or check\$3 or compar\$4 or confirm\$5 or evaluat\$3 or valid\$5 or verif\$7 or test\$3 or cheque or determin\$5 or identif\$7 or locat\$3 or search \$3 or query\$3 or contextual adj data or rule or survey\$3 or solicit\$5 or question\$3 or ask\$3 or poll\$3 or crawl\$3) and (@ad<"20040329")				
L13	271	(key near3 indicator or performance near3 indicator) and (gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor\$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key or touch) adj (pad or board)) and (goal or target) and (status or rank or rating or position or standing)and trend \$4 and (weight or importance) and query and (@ad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 16:59
L14	26	(key near3 indicator or performance near3 indicator) near3 (gui or entry adj screen or icon or graphic or symbol or pop adj up or popup or dialog adj box or flag or button or pulldown or pull adj down or wizard or display\$3 or monitor\$3 or lcd or crt or WIMP (Window, Icon, Menu, Pointer) interfaces OR input or inputt\$3 or (user near5 (interface or interact\$5)) or transmi\$5 or enter\$3 or screen or monitor or touchpad or touchscreen or keyboard or keypad or (key	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 17:00

		or touch) adj (pad or board)) and (goal or target) and (status or rank or rating or position or standing)and trend \$4 and (weight or importance) and query and (@ad<"20040329")				
L15	10	(key near3 indicator or performance near3 indicator) near3 (outline or graphic or art OR s symbol or chart or graph\$ or histogram or map or plot\$4 or subgraph\$ or diagram or subdiagram or illustrat\$ or representation or depict\$ or visual\$ or glyph) and (display or show or window or screen or page or view or graph or image or table or tabular or front adj end or frontend or gui or graphic\$2 adj2 interface)and (goal or target) and (status or rank or rating or position or standing)and trend\$4 and (weight or importance) and query and (@ad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; DERWENT	AND	ON	2010/03/04 18:36
S1	1013	key near3 performance near5 indicator	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:21
S2	1046	key near5 performance near5 indicator	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:22
S3	486	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:23
S4	152	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:25
S5	131	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:27

S6	37	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:29
S7	29	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 13:59
S8	4	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition)and (XML) and (filter\$3) and (processor or server) and(relational near5 database) (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:12
S9	4	key near5 performance near5 indicator near5 processor and (receiv\$3 and generat\$3)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:28
S10	0	key near5 performance near5 indicator near10 processor and (receiv\$3 and generat\$3) and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:50

S11	0	key adj performance adj indicator near10 processor and (receiv\$3 and generat\$3) and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition) and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:51
S12	28	key adj performance adj indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition) and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:52
S13	28	key adj performance adj indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near10 (name or expression or quer\$3 or definition) and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 14:53
S14	29	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and document near5 (name or expression or query or definition)and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 18:29
S15	86	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and component and retriev\$3 and identif\$4 and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 18:31

S16	94	key near5 performance near5 indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 18:39
S17	11	key near5 performance near5 indicator near5 document\$5 and processor and quer\$3 and database and information and interface and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 18:43
S18	11	key near5 performance near5 indicator near5 document\$5 and processor and (microcontrol\$r or microprocess\$r or embedded adj system or control\$r or process\$r or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 19:20
S19	6658728	(automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 19:35

S20	11	key near5 performance near5 indicator near5 document\$5 and processor and (microcontroll\$ or microprocess\$ or embedded adj system or controll\$ or process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 19:37
S21	11	key near5 performance near5 indicator near5 document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ or microprocess\$ or embedded adj system or controll\$ or process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 19:38

S22	99	key near5 performance near5 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ or microprocess\$ or embedded adj system or controll\$ or process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/01 19:39
S23	58	"6735630"	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/05/20 16:47
S24	58	"6718535"	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2008/07/21 11:59
S25	98	key near5 performance near5 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ or microprocess\$ or embedded	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/01/08 11:11

		adj system or controll\$ process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and text and graph \$4 and (@ad<"20040329" or @rlad<"20040329")				
S26	53	key near5 performance near5 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ microprocess\$ or embedded adj system or controll\$ process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/01/08 11:12
S27	29	key near5 performance near5 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/01/08 12:08

		(processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ or microprocess\$ or embedded adj system or controll\$ or process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$ or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and name and expression and (@ad<"20040329" or @rlad<"20040329")				
S28	2	"20080319829"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 10:54
S29	30	key near3 performance near3 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$ or microprocess\$ or embedded adj system or controll\$ or process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$ or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and name and expression and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:11

S30	28	key adj performance near3 indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontrol\$r or microprocess\$r or embedded adj system or controll\$r or process\$r or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and name and expression and (@ad< "20040329" or @rlad< "20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:18
S31	28	key adj performance adj indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontrol\$r or microprocess\$r or embedded adj system or controll\$r or process\$r or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:18

		program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and name and expression and (@ad<"20040329" or @rlad<"20040329")				
S32	1411	key adj performance adj indicator	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:33
S33	694	key adj performance adj indicator and processor and (receiv\$3 and generat\$3)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:33
S34	242	key adj performance adj indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:37
S36	97	key adj performance adj indicator and processor and (receiv\$3 and generat\$3)and quer\$3 and document\$3 and result\$3 and interface and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 12:40
S37	0	key adj performance adj indicator near3 document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$r or microprocess\$r or embedded adj system or controll\$r or process\$r or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 15:32

		interface and ((text and graph \$4) same display\$3) and name and expression and (@ad<"20040329" or @rlad<"20040329")				
S38	7	key adj performance adj indicator near3 (document\$5 or report) and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$r or microprocess\$r or embedded adj system or controll\$r or process\$r or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$R or (control or govern\$3 or regulat\$3) near3 (system or software or program or application or app or apps or interface or module)) and quer\$3 and database and information and interface and ((text and graph \$4) same display\$3) and name and expression and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 15:33
S39	28	key adj performance adj indicator and document\$5 and processor and (automated or computer or super computer or terminal or engine or (microelectronics adj device) or node or server or client or master or slave or gateway or router or platform or environment or configur\$5 OR cpu or microcomputer or microprocessor or microprocesser or micro adj (processor or processer) or processer or hardware or harddrive or hard adj drive or mainframe or main adj frame) and (microcontroll\$r or microprocess\$r or embedded adj system or controll\$r or	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 16:12

		process\$ or PLC or PROGRAMMABLE adj LOGIC adj CONTROLL\$ or (control or govern\$ or regulat\$) near3 (system or software or program or application or app or apps or interface or module)) and quer\$ and database and information and interface and ((text and graph \$4) same display\$) and name and expression and (@ad< "20040329" or @rlad< "20040329")				
S40	70	key adj performance adj indicator and processor and (receiv\$ and generat\$) and quer\$ and document\$ and result\$ and interface and document near5 (name or expression or query or definition)	US-PGPUB; USPAT; FPRS; DERWENT; IBM_TDB	AND	ON	2009/09/23 18:11
S41	2	"20030149578"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 18:50
S42	725210	key adj performance adj indicator or performance adj indicator or indicator	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 19:16
S43	725210	(key adj performance adj indicator or performance adj indicator or indicator)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 19:16
S44	4175	(key adj performance adj indicator or performance adj indicator)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 19:16
S45	2144	(key adj performance adj indicator or performance adj indicator) and database	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 19:17
S46	9177569	(key adj performance adj indicator or performance adj indicator) and ((data or knowledge or information or presentation) adj (unit or base or bank or min\$ or set or warehous\$ or dictionary or dictionaries or mart or medium or media or structure or framework or plan or plans)) or database or file or memory or memories or record or access or oracle or sybase or sql adj server or sqlserver or db2 or dbms or rdb or datamin\$ or datawarehous\$ or repository or reserve or table or array or dataset or vldb or ldb or databank or oodb or db or	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/09/23 19:21

		hdbms or hfs or hdb or cache or disc or disk or list or manifest or dwh or ods or olap or molap or rolap or library or libraries or honeypot or honey adj pot or cluster or whitelist or blacklist or spreadsheet or spread adj sheet or matrix\$2 or matrices or matrixes or chart OR datatable or datafile or knowledgebase or mis or (organi\$ed adj collection or related or interrelated) adj2 (files or information or data) or rdbms or information near management or sims or masterfile or master adj file or tabular\$ or (multifactoral or multi adj factoral) adj analysis or back adj end or backend				
S47	1374	(key adj performance adj indicator or performance adj indicator) and document	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:21
S49	121	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3) and (result or conclusion)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:32
S50	59	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3) and (result or conclusion) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:34
S51	24	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3)near3 database and (result or conclusion) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:53

S52	21	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3)near3 database and (result or conclusion) near3 (document or report or text or record or file) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:54
S53	19	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3)near3 database and (result or conclusion) near3 (document or report or text or record or file) and text and graphical and display\$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 18:56
S54	26	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and database and (result or conclusion) near3 (document or report or text or record or file) and text and graphical and display\$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/02 19:06
S55	54	(key adj performance adj indicator or performance adj indicator or performance near3 metric) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and database and (result or conclusion) near3(document or report or text or record or file) and text and graphical and display\$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 10:12
S56	181	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 12:25

S57	88	(key adj performance adj indicator or performance adj indicator) near3 (document or report or text or record or file)and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 12:44
S58	1568	(key adj performance adj indicator or performance adj indicator) and (document or report or text or record or file) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 12:49
S59	5691	(key adj performance adj indicator or performance adj indicator or performance near3 metric) and (document or report or text or record or file)and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 12:50
S60	2019	(key adj performance adj indicator or performance adj indicator or performance near3 metric) and (document or report or text or record or file) and query and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 12:51
S61	1	(key adj performance adj indicator or performance adj indicator or performance near3 metric) and (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and graphical and display\$3 and XML and OLAP and (mobile adj phone)and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 14:28
S62	4	(key near3 indicator or performance near3 indicator or performance near3 metric) and (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and graphical and display\$3 and XML and OLAP and (mobile adj phone)and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 14:37

S63	10	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and graphical and display\$3 and XML and OLAP and (mobile adj phone)and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:33
S64	35811	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:37
S65	3081	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document or report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:37
S66	28	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or text or record or file) and server and graphical and display\$3 and XML and OLAP and (mobile adj phone or cell adj phone)and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:40
S67	0	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document) and server and graphical and display\$3 and XML and OLAP and (mobile adj phone or cell adj phone) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:43

S68	0	(key adj indicator or performance adj indicator or performance adj metric or indicator) near3 (document) and server and graphical and display\$3 and XML and OLAP and (mobile adj phone or cell adj phone)and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:44
S69	463	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document) and (report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and server and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:45
S70	1	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document) and (report or text or record or file) and (query or survey\$3 or ask\$3 or question\$3 or search\$3) and server and XML and OLAP and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 17:46
S71	1	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document) and (quer\$3 or survey\$3 or ask\$3 or question\$3 or search\$3) and server and XML and OLAP and result and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 18:02
S72	93	"6718535"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/05 18:11

S73	36312	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or record or file) and (query or survey\$3 or ask \$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:01
S74	5817	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or record or file) and (query or survey\$3 or ask \$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and markup adj language and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:03
S75	1623	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or record or file) and (query or survey\$3 or ask \$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:06
S76	1061	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or record or file) and (query or survey\$3 or ask \$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:08

		assistant or mobile adj phone) and processor and text and graphical and display \$3 and (@ad<"20040329" or @rlad<"20040329")				
S77	1261	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (document or report or record or file) and (query or survey\$3 or ask \$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and text and graph\$4 and display \$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:08
S78	89	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document or report or record or file) and (query or survey \$3 or ask\$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and text and graph\$4 and display \$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:09
S79	88	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document or report or record or file) and (query or survey \$3 or ask\$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 10:10

		text and graph\$4 and display \$3 and result and (@ad<"20040329" or @rlad<"20040329")				
S80	2859	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document or report or record or file) and (query or survey \$3 or ask\$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and text and graph\$4 and display \$3 and result list\$3 near3 indicator and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:18
S81	4	((key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (document or report or record or file) and (query or survey \$3 or ask\$3 or question\$3 or search\$3) and (server or remote or router or processor or computer) and receiv\$3 and retriev\$3 and generat\$3 and query\$3 and markup adj language and (cell near3 phone or pda or digital adj assistant or mobile adj phone) and processor and text and graph\$4 and display \$3 and result and list\$3 near3 indicator) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:19
S82	482521	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:41

S83	6710	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:41
S84	327	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and retriev\$3 near3 quer\$3 and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:44
S85	180	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/10/06 11:46
S86	16	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and list near3 indicator and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 11:47
S87	6	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and list near3 indicator and markup adj language and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 11:47

S88	6	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and list near3 indicator and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 11:50
S89	3	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) same (list\$3 near3 indicator) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 12:10
S90	1	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) near3 (list\$3 near3 indicator) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 12:47
S91	4	(key near3 indicator or performance near3 indicator or performance near3 metric or indicator)near3 (document or report or record or file) and (key near3 indicator or performance near3 indicator or performance near3 metric or indicator) near3 (list\$3 near3 indicator) and retriev\$3 near3 quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 12:52

		@rlad<"20040329")				
S92	0	(key near3 indicator or performance near3 indicator) and (document or report or record or file) and (key near3 indicator or performance near3 indicator) near3 (list \$3) and retriev\$3 near3 quer \$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 13:10
S93	2	(key near3 indicator or performance near3 indicator) and (document or report or record or file) and (key near3 indicator or performance near3 indicator) near3 (list \$3) and retriev\$3 and quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 13:11
S94	231	(key near3 indicator or performance near3 indicator) and (document or report or record or file) and (key near3 indicator or performance near3 indicator) and (list\$3) and retriev\$3 and quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or @rlad<"20040329")	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 13:12
S95	3	(key near3 indicator or performance near3 indicator) near3 system and (document or report or record or file) and (key near3 indicator or performance near3 indicator) and (list\$3) and retriev\$3 and quer\$3 and result near3 (document or record or report or file) and markup adj language and (remote or server or router or computer or microprocessor) and (@ad<"20040329" or	US-PGPUB; USPAT; USOCR; DERWENT	AND	ON	2009/10/06 13:27

	@rlad<"20040329")				
--	-------------------	--	--	--	--

3/ 4/ 2010 7:28:32 PM

C:\ Documents and Settings\ janderson3\ My Documents\ EAST\ Workspaces\ amend-10811654.wsp